

Contents

Purpose	2
Transplant Work-up Brief Overview	2
Transplant Work-up Resources	3
Weight Loss Requirements	4
Weight Loss Interventions	4
Network Resources	5
Staff Resources	5
Patient Resources	7
Resources From Other Organizations	8

Purpose

The purpose of this document is to provide general guidance for the Transplant Work-up process with a focus on body mass index (BMI) requirements as it pertains to kidney transplantation. This Toolkit will also serve as a guide for weight loss requirements and guidance.

What is BMI?

BMI stands for Body Mass Index. BMI Calculation: A person's weight in kilograms divided by their height in meters squared.

 $BMI = \frac{Weight (kg)}{Height (m)^2}$

Transplant Work-Up Brief Overview

During the initial Transplant work-up appointment the patient will see several members of the transplant team including:

- Registered Nurse
- Doctor/Surgeon
- Dietician
- Transplant Pharmacy Team



The Registered Nurse Reviews/Collects:

- Past Medical History
- Pertinent information regarding the Transplant



Doctor/Surgeon Reviews/Collects:

- Physical Assessment
- Pertinent Information Regarding the Transplant



Pharmacy Team Reviews/Collects:

- Current Medications and compliance
- Information regarding posttransplant medications



Dietician Reviews/Collects:

- Compliance to renal diet, diet quality, and physical activity
- Frailty Assessment
- Discuss any concerns with weight (BMI, Waist circumference)

Transplant Work-Up Resources

The Network has created the following resources to assist patients through the transplant work-up process:

Transplant Interest Form

For providers to share with patients to assess patient interest in transplant and begin the referral process.

Download NW 10 (IL): https://bit.ly/2DnmhW4

Download NW 12 (IA, KS, MO, NE): https://bit.ly/3fdkccp

Transplant Discussion Topics

For patients who have been referred and are ready to attend their initial appointment.

Download: https://bit.ly/2P5GGS2

Transplant Work-up Appointments Checklist

For patients to track their work-up appointments. The dialysis clinic may want to keep an updated copy in their records as well, to assist patients through the work-up process.

Download: https://bit.ly/3gkzHkg

Jus	Autom Texas
PLEASE DHOOSE DEE OF T	VE FOLLOWING
O YES, I am interested in the	on information about Kelbery Transplant
I would like to be evaluate	d for manufact at
Rask University Me O OFF in Treasts Me D University of Chica	dead Crame (Prorise)
O Chrometer of Water O Chrometer of Water O VETERAN'S ADM	pa standard Uniter at Change wase them Distance, ND DESTATEEN Care are reconsed Exclure Tomoglow at the tase. If I change my used. Testary Tomoglow at the tase.
O Convention of Distance O Convention of Western O Convention of Western O VICTURANCE ACTIVE O NO. I are not extremely an I will andreas are Planaers?	n Medical Croise at Okurapi nean Bollt, Obliven, WD ONSTRATION (I am a versenni) Kolare Tamadant of Review, XD damar ar saint.
Charment of Them Char	is Media Cawin at Change mus Belle Dollaris, ND ENSTATIENT 5 and a remeal ENSTATIENT 5 and a remeal ENSTATIENT 5 and 10 and 10 and 10 and Name on the Change Name
Conversity of Dates Conversity of These Descendent of These Descendent of These Descendent of These Text and these care Planeter Preser Spraces De to complete (by physics)	is Media Cawin at Change mus Belle Dollaris, ND ENSTATIENT 5 and a remeal ENSTATIENT 5 and a remeal ENSTATIENT 5 and 10 and 10 and 10 and Name on the Change Name





Weight Loss Requirements

Transplant centers may have different weight requirements for kidney transplant. Transplant centers may ask that the patient lose some weight prior to receiving a kidney transplant. If patients are asked to lose weight, they should make sure to do it in a healthy way.

Transplant centers use a couple of different methods when assessing whether weight loss is required for kidney transplant. One method is the BMI calculation which is where they assess a person's weight in kilograms divided by their height in meters squared. Another method that some transplant centers are using is measuring waist circumference, because BMI is not always an accurate measure for patients on dialysis. Increased waist circumference is directly linked to increased risk for mortality in healthy individuals and individuals on dialysis. At this time waist circumference is a more of a subjective assessment done by the surgeon and/or dietician.

The dietician will initially determine appropriate intervention for the patient in terms of weight loss. The dietician will also provide a goal weight (upon discussing with MD) and an explanation for weight loss to the patient.

Weight Loss Interventions

Gradual weight loss over a period of time

Weight loss contracts

Weight loss surgeries

Weight loss programs specific to transplant program

- Qualifications might include some or all of the following:
 - Chronic Kidney Disease
 - BMI >30 kg/m2
 - Medicare as primary insurance
 - In transplant workup
 - Motivation to learn
 - Adequate transportation
 - Required to lose between $\sim 10-30$ lbs

Network Resources

The Network has created the following staff and patient resources to assist with encouraging patients to stay active, tips for dialysis patients who want to lose weight, and setting attainable goals when it comes to losing weight.

Staff Resources



Shared Decision Making Series

Engaging patients through the process of Shared Decision making can have significant impact on the health of your patients and on your clinic outcomes. Shared Decision Making (SDM) is a patient-centered process that engages patients, their care partners and the health care team in collaborative decision making.

Shared Decision Making

- Is a collaborative process
- Involves providers partnering with the patient to explore and compare treatment options
- Takes into account the best scientific evidence available
- Identifies and takes into account patient values and preferences
- Honors the patient's right to be fully informed about all care options and the potential harms and benefits
- Honors the provider's expert knowledge
- Allows patients and their providers to make health care decisions together

Many patients do not know that they can and should participate in decisions about their health care. Weight loss decisions and plans can only be successful if the patient is involved in the process every step of the way. The following tools will help dialysis staff with implementation of the SDM process.

Download Series #1: https://bit.ly/3106fJD Download Series #2: https://bit.ly/3ghonVK Download Series #3: https://bit.ly/313iTHL

Set a Go		
poal (Specific Ma	armable. A	active can make your overall quality of ldt better. Setting a SMART cherestife, Rushime and Tane Bourd) can help you be meceneful. You your gastial Read the example below does use page two to write your
GOAL	10	"I want to be leadings."
Smoone	1	Who? What? Where? How? When? I will take a 13 minute walk three days a week as son-dialyses days around my weighterhead."
MT 4 10 14 14 1	÷	Now will I know I've reached my goal? "I will weie on my calendar every namik die time each day I weik."
ACHEVARIA	Ś.	What do I need to meet my goal? Time? Eupport? 7 will go father every week I will ask a final to walk with un."
BEALHING	0	Why do I want to reach this goal? 'Right new I can welk two blocks welson prting tand I want to be the wellt fung blocks.'
THE BASED	·@-	I will reach my goal by "One mostly from today, I will be able to wolk 15 mannes, there many a week."
NOTE Boles of		All to your should not all the standard of the second of t

Goal Setting

The "Set a Goal to Thrive" is a two paged patient handout developed to help encourage patients to set goals. The front side explains and provides an example of SMART (Specific, Measurable, Attainable, Realistic, Timebased) goals and the back side provides space for the development of a personalized SMART goals.

Print and provide a copy of the handout to the patient prior to discussing their weight loss goals with them, reviewing the concept of a SMART goal and how it can benefit them and ensure that their goals are incorporated into their plan. Consider using the tool when completing your assessment prior to the plan of care meeting, then incorporating the patient's goal(s) into the Plan of Care document.

Download: https://bit.ly/3117qZn

JOHNS HOPKINS	Johns Hopkin
ne	
Frailty Calculator -	US Units
	should only be used for calculation and/or and then enter II into the calculator at a lat
data collection forms available in the	resource avide
Gender O Main O Famale	
Participant height and second are mean.	Height and Weight N
Current Height R dich	
Currant Weight Bo	
Please effect you once you have enter	of both unight measures.
	Grip Strength
Participant segmentes the hand dynamor	name 3 times with document hand. Instructions
Which hand do you use to sign your I	name? (Dominant hand) @ Right @
Have you had any recent pain in your	writed on any solute flace out in prior hand to
fummed agenticates?	
··· Yes · No	
	and a or arms during the last 3 months?
U Yan W No.	
Wes grip strength test completed?	Without Contract State
Dominant hand measurement 1 Dominant hand measurement 2	
Dominant hand measurement 3	22
	Walking Speed
Participant walks it metar course twice a	
Participant walks it mater course twice a Wes the 4 mater walking test complete	and the state of these
	tert? W Yes () No.

Frailty Assessment

Frailty is defined as clinically recognizable stated of increased vulnerability resulting from aging-associated decline in reserve and function across multiple physiologic systems such that the ability to deal with acute stressors.

Frailty Assessment covers five areas for assessment. Patients can score between 0-5:

- Unintentional Weight Loss
- Weakness
- Slowness
- Exhaustion
- Low Activity



Frailty Interventions: What to Do If My Patient is Told They Are Frail

- Encourage gradual increase in activities of daily living (cooking, bathing, dressing, etc.)
- Encourage gradual increase in physical activity (walking, doing laundry, gardening, etc.)
- Encourage PCP visit to obtain PT referral
- Reassess

Get More Information: www.johnshopkinssolutions.com/solution/frailty/

Patient Resources

Benefits of Weight Loss	Weight Loss Tips
Borner control of Mood super for diabetes More energy Berner analyy Berner analyy Berner analysis of Mood personen Apprecial for lockery templates	Be ensure of your shooping and enting ladam. Moke over your currecter plan in approval key some doctore Reduce culture and the sensite Between of your portion sizes Remund powershift
Difficulties While on Dialysis	Ways To Stay on Track
Annus The efforts of delytes terminone Protessend delytes Not prima consels protein Encoderal rating	Xrep a doily dary of the food you can Ear well balanced analy Xrep a angular stancer routine Set push that are etaaable

Weight Loss Tips and Strategies for Dialysis Patients

These weight loss tips are specialized for dialysis patients to help with weight loss. This document shares the benefits of weight loss, tips and strategies for weight loss, any barriers while on dialysis, and ways to stay on track to weight loss goals.

Download: https://bit.ly/2Xa3FzR



Benefits of Being Active

Regular physical activity is one of the most important things you can advise your patients to do for their health. People on dialysis can and do exercise. Exercise is an important part of a healthy weight loss journey. Share these resources with your patients to encourage physical activity.

Download in English: https://bit.ly/2CW98Dw Download in Spanish: https://bit.ly/3faYhT3

	Monday	Tuesday	Wednesday	Thursday
Breaklast				
Lanch				
Distant				
uctively.				

Daily Food and Activity Diary

Keeping a record of daily food intake will help patients stay on track when trying to lose weight or maintain healthy weight and activity levels. Let your patients know that doing so will give you a quick way to check their progress.

Download: https://bit.ly/30gfYN0



Exercise to Feel Better Crossword

Complete the crossword puzzle using the clues listed in the table about exercise and overall health.

Download: https://bit.ly/2P9P4jh

Resources From Other Organizations

- Trim for Transplant RUSH University <u>www.rush.edu/services/transplant-programs</u>
- John Hopkins Frailty Calculator www.johnshopkinssolutions.com/solution/frailty/
- Centers for Disease Control and Prevention Adult BMI Calculator www.cdc.gov/healthyweight/assessing/bmi/adult_bmi/english_bmi_ calculator/bmi_calculator.html



- <u>Kidney School Online Modules</u>- Kidney School is a comprehensive online education program for people who want to learn how to manage and live with chronic kidney disease. Each module can also be downloaded in English and Spanish. <u>kidneyschool.org/mods/</u>
- Exercise: A Guide for People on Dialysis (workbook) lifeoptions.org/assets/pdfs/exercise_a_guide_for_people_on_dialysis.pdf
- <u>Life Options: Feeling Better with Exercise</u> (DVD) provides guidance on exercise with dialysis and are available to order at <u>www.lifeoptions.org</u> or <u>store.mei.org/feeling-better-with-exercise-a-video-guide-for-people-on-dialysis-dvd/</u>
- Nutritional and Kidney Disease– the <u>National Kidney Foundation website</u> has articles on Nutrition and Hemodialysis, Peritoneal Dialysis and Transplant. <u>www.kidney.org</u>
- Factor KF. <u>Weight loss counseling for dialysis patients to prepare for transplant</u>. J Clini Nephrol. 2019; 3: 161-163. DOI: 10.29328/journal.jcn.1001042 <u>www.heighpubs.org/jcn/jcn-aid1042.php</u>

For More Information or to file a grievance, please contact:



Qsource ESRD Network 10 (IL) 911 E. 86th St., Ste. 202 Indianapolis, IN 46240

Phone: 800-456-6919 E-mail: ESRDNetwork10@qsource.org Web: www.ESRDNetwork10.org Facebook.com/ESRDNetwork10



Qsource ESRD Network 12 (IA, KS, MO, NE) 920 Main, Ste. 801 Kansas City, MO 64105

Phone: 800-444-9965 E-mail: ESRDNetwork12@qsource.org Web: www.ESRDNetwork12.org Facebook.com/ESRDNetwork12



This resource was created by Qsoruce ESRD Networks under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services. Contract #HHSM-500-2016-00010C and #HHSM-500-2016-00012C. The contents presented do not necessarily reflect CMS policy. 20.Q-ESRD.20-679

ESRDNetwork10.org | ESRDNetwork12.org