



The Vaccine

Triple Play



COVID-19 Bivalent Booster

- COVID-19 vaccines are effective at preventing severe illness, hospitalization, and death.
- Boosters are additional doses that help maximize your protection against COVID-19.
- The updated boosters are called bivalent because they protect against both the original virus that causes COVID-19 and the Omicron variants BA.4 and BA.5.
- The Centers for Disease Control and Prevention (CDC) recommends everyone stay up to date with COVID-19 vaccines

That means that everyone 5 years of age and older should receive one updated (bivalent) booster if it has been at least 2 months since their last COVID-19 vaccine dose.

- Those at highest risk of contracting and dying from COVID-19 include:
 - Seniors 65 years of age and over.
 - Individuals with chronic medical conditions, such as heart disease, obesity, and diabetes.
 - People residing in congregate living.

CDC. COVID-19—www.cdc.gov/coronavirus/2019-ncov/vaccines/stay-up-to-date.html

esrd.qsource.org

Disclaimer | This material was originally prepared by Health Services Advisory Group. This presentation was prepared by Qsource, an End-Stage Renal Disease (ESRD) Network under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 22.ESRD11142





Annual Flu Vaccine

- Flu is a contagious respiratory disease that can cause severe illness, hospitalization, and even death.
- Those at higher risk of serious complications from flu include:
 - Seniors 65 years of age and over.
 - People of any age with certain chronic medical conditions, such as asthma, diabetes, or heart disease.
 - Pregnant women and children under 5 years of age.
- Getting an annual flu vaccine is the best way to protect yourself and your loved ones from flu.

CDC. Flu—www.cdc.gov/flu/prevent/whoshouldvax.htm



Pneumonia Vaccine

- Pneumococcal disease (pneumonia) is a name for any infection caused by bacteria called *Streptococcus pneumoniae* or pneumococcus.
- If you are 65 years of age or older, or 19–64 years of age with certain medical conditions or other risk factors, you should receive a pneumonia vaccine.
- Ask your healthcare provider which pneumonia vaccine is right for you.

CDC. Pneumococcal—www.cdc.gov/vaccines/vpd/pneumo/index.html

For more information or to file a grievance, patients may contact:

ESRD Network 10 | 911 E. 86th St., Ste. 30 | Indianapolis, IN 46240 | 800-456-6919

ESRD Network 12 | 2300 Main St., Ste. 900 | Kansas City, MO 64108 | 800-444-9965

esrd.qsource.org

Disclaimer | This material was originally prepared by Health Services Advisory Group. This presentation was prepared by Qsource, an End-Stage Renal Disease (ESRD) Network under contract with the Centers for Medicare & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this material do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 22.ESRD11142

