Neuro

Orientation

Person Place

Levels of Consciousness

Alert and oriented Confused

Mood

Pupil Checks

PERL - Pupils Equal and Reactive to Light

Hand Grips

Equal bilaterally
Any deficits/loss of
strength in extremities

- Which extremity
- Side



This material was prepared by Qsource, a/an Network of Quality Improvement and Innovation Contractors under contract with the Centers for Medicaire & Medicaid Services (CMS), an agency of the U.S. Department of Health and Human Services (HHS). Views expressed in this document do not necessarily reflect the official views or policy of CMS or HHS, and any reference to a specific product or entity herein does not constitute endorsement of that product or entity by CMS or HHS. 23.QIO.CLIN6.05.060

Respirations

Rate

Rhythm

Depth of Respirations

Cough

Productive

Non-productive

Frequency

Sputum

Color

Amount

Breath Sounds

Anterior

Posterior

Oxygen Saturation

Suction



Skin

Color

Turgor

Warmth

IV Site

Fluid

Rate

Redness

Swelling

Signs of infiltration

Wounds/Pressure Injuries

Dressings

Sutures/staples

Intact

Open areas

- Measurements
- Odor
- Drainage
- Signs of infection
- Description of wound bed and surrounding skin



GI

Condition of Mucus Membranes

Teeth

Appetite

Color of membranes

Abdomen

Abdominal distention

Bowel sounds

Activity

Hypoactive ...

Hyperactive

• Location (quadrants)

Abdomen (cont.)

Flatulence

BM

- Color
- Consistency
- Frequency

Tubes

NG

Ostomy

- Colostomy
- Ileostomy



Cardiovascular

Urinary

Apical Pulse

Rate

Rhythm

Peripheral Pulse

Location

Palpation

Edema

Location

Amount

Type

Color

Amount

Clarity

Odor

Catheter

Intact

Intake and Output

TED Hose



Extremities

Color

Movement

Range of motion or lack of for each extremity

Sensation

Warmth

Capillary Refill

Pulse

Location

Strength

