General Instructions

Purpose: In an effort to reduce the transmission of multidrug-resistant organisms (MDROs) within and between healthcare facilities as well as improve the quality of life, care, and services in healthcare facilities; optimize resident and patient safety; and reflect current professional standards, the North Carolina Division of Public Health (NC DPH) encourages healthcare facilities to utilize a standard, interfacility transfer form when transferring residents and patients.

How to use this form: The form is to be completed for all individuals who are to be transferred from one healthcare setting to another. Healthcare settings include but are not limited to inpatient and outpatient locations, hospitals, long-term care facilities, skilled nursing facilities, assisted living facilities, etc. In instances where frequent transfer is necessary between healthcare settings (e.g. dialysis appointments, wound care appointments, etc.), this form may be provided to the receiving healthcare facility or provider for the initial visit and kept on file for subsequent appointments. A new form should be provided if information contained on the initial form changes (e.g. patient is diagnosed with a MDRO, undergoes a procedure, or has a new line/tube). In instances where a patient is out of the transferring facility for less than 24 hours before returning to the original facility (e.g. visit to the Emergency Room), a new interfacility transfer form need not be completed by the original receiving facility for transfer back to the original transferring facility. Rather, any updates can be incorporated onto the originally provided interfacility transfer form.

A transferring facility representative should fill out all information on this form unless otherwise indicated. If using the fillable PDF version of this form, all information entered onto page 1 will automatically fill onto page 2 to provide an additional copy of the form to the receiving facility and for reference for transport services. Otherwise, fill out page 1 and make 1 additional copy for the receiving facility and mark the appropriate check box at the bottom of each page.

To use the fillable PDF version, a PDF viewer, such as Adobe Acrobat Reader DC must be installed. When using a PDF viewer, the form can be filled and saved locally either to continue filling later or for record-keeping purposes. Using an online PDF viewer, such as Microsoft Edge, will not allow you to save completed forms. Adobe Acrobat Reader DC can be downloaded for free from: https://acrobat.adobe.com/us/en/acrobat/pdf-reader.html?promoid=C4SZ2XDR&mv=other.

The page with "TRANSFERRING FACILITY COPY" marked (page 1) should remain in the medical record for the individual at the transferring facility. Page 2 should be given to transport services at the time of transfer by a transferring facility representative. It is important that transport services have access to the interfacility transport form. Page 2 should be given to the receiving facility at the time of transfer by a transport services representative. This page should remain in the medical record for the individual at the receiving facility.

Information contained on this form, especially information related to isolation precautions/ required personal protective equipment (PPE), should be communicated verbally to transport services and the receiving facility prior to transfer when possible. Provision of the form serves as written communication of the same information to these entities.

Field Level Instructions

Fields marked with an asterisk (*) are required fields. All fields should be completed by the transferring facility unless otherwise specified.

Transferring facility contact information: All information is required unless otherwise indicated.

- Transferring Facility Name* Name of facility where individual currently or most recently resides or receives care
- Transferring Facility Address* Address of facility where individual currently or most recently resides or receives care
- Transferring Facility Phone Number* Phone number of facility where individual currently or most recently resides or receives care
- Transferring Facility Fax Number Fax number of facility where individual currently or most recently resides or receives care

Transfer information: All information is required unless otherwise indicated.

- Transferred to* Name of facility at which individual will receive care
- Reason for transfer* Description of reason or circumstances for the transfer of the individual to another healthcare setting
- Transfer date/time* Date on which the transfer occurred in MM/DD/YY format and time at which the individual was transferred or is expected to be transferred from the transferring facility in HH:MM AM/PM format
- Attending physician at transferring facility* Name and title of attending physician at the facility where individual currently or most recently resides or receives care
- Phone* Direct phone number of attending physician at transferring facility; this should not be the operator or call service

Patient/resident demographics and vital signs: Provide the requested information on the individual being transferred. Transport services or a representative at the receiving facility may also take and record vital signs (date taken, time taken, BP, P, R, T(F), O2 SAT)

- Date/time taken Date (MM/DD/YY) and time (HH:HH AM/PM) at which individual's vital signs were taken, preferably as close to the time of transfer as possible.
- Last Name* Individual's last name
- First Name* Individual's first name
- DOB* Individual's date of birth in MM/DD/YYYY format
- MRN Individual's medical record number at the facility where the individual currently or most recently resides or receives care
- BP* Individual's blood pressure in mm Hg
- P* Individual's pulse in beats per minute
- R* Individual's respiratory rate is breaths per minute
- T(F)* Individual's oral temperature in degrees Fahrenheit
- O₂ SAT* Individual's oxygen saturation in percent (%)
- HT(in) Individual's height in inches
- WT(lb) Individual's weight in pounds
- Diabetic? Indicate whether or not the person is diabetic, "Y" for "Yes" or "N" for "No."
- Glucose Individual's glucose level in mg/dL

- Language Individual's primary language; indicate "English" or "Other" and if "Other," specify the individual's primary language in the space provided.
- Mental status* Indicate if individual is alert and/or oriented and/or some other mental status.
 If "Other" mental status applies, specify in the space provided.
- Allergies* If the individual has no allergies, indicate "None." If the individual has allergies, indicate "Yes" and specify in the space provided.
- Pain Indicate the individual's pain level on a scale of 0 (no pain) to 10 (worst pain possible) in the space provided. Specify the site of the pain in the space provided.
- At risk alerts* If the individual does not have any risk alerts, indicate "None." Otherwise, indicate any and all risk alerts that apply to the individual. If a specific risk alert is not listed, indicate "Other," and specify in the space provided.
- Advanced directives* Indicate any and all advanced directives that apply to the individual. If individual has a proxy, specify proxy name and phone number in the space provided.

Current isolation precautions/required PPE*: All information is required unless otherwise indicated.

- Isolation precautions* Indicate "No" if the individual is not currently on isolation precautions
 for any communicable disease or condition. Indicate "Yes" and specify the type of isolation
 precaution (Contact, Droplet, and/or Airborne) if the individual is currently on isolation
 precautions for any communicable disease or condition.
- Required personal protective equipment (PPE) Indicate the PPE required (gloves, gown, and/or mask) required during direct care of the individual based on the current isolation precautions. PPE is required if the patient is on isolation precautions.

Note: Descriptions of appropriate precautions and personal protective equipment (PPE) can be found at https://www.cdc.gov/infectioncontrol/guidelines/isolation/index.html.

Organisms/infections*: All information is required unless otherwise indicated. If the individual has no current infection(s), history of infection, or pending culture result for the listed organisms or some other organism, indicate "None." Otherwise, indicate "Yes" and specify for each organism listed whether the infection is current, the individual has a history of infection or colonization, and/or a diagnostic test is pending to determine infection status. For each status that applies, specify the date of diagnosis (current infection), date of last positive diagnostic/screening test (history or colonization), and/or specimen collection date (pending result) in MM/DD/YY format.

Current or recent (last 7 days) symptoms: If the individual does not have any current or recent (last 7 days) symptoms, indicate "None." Otherwise, indicate "Yes" and specify any and all symptoms that the individual currently has or has had in the past 7 days. If a specific symptom is not listed, indicate "Other," and specify in the space provided.

Sensory status and activities of daily living*:

- Vision Indicate whether vision is "Good," "Poor," or if the individual is "Blind." If "Blind," specify right eye ("R"), left eye ("L"), or both eyes ("Both").
- Hearing Indicate whether hearing is "Good," "Poor," or if the individual is "Deaf." If "Deaf" specify right ear ("R"), left ear ("L"), or both ears ("Both").
- Speech Indicate whether speech is "Good," "Difficult," or whether individual has "Aphasia."
- Ambulate Indicate whether the individual is able to ambulate by himself/herself ("Self"), with assistance ("Assist"), or if individual is unable to ambulate ("Not able").

- Transfer Indicate whether the individual is able to transfer himself/herself from one location to another ("Self"), with assistance ("Assist"), or if individual is unable to transfer himself/herself ("Not able").
- Toileting Indicate whether the individual is able to use the toilet by himself/herself ("Self"), with assistance ("Assist"), or if individual is incontinent ("Incontinent"). If "Incontinent," specify whether incontinent of urine ("Urine"), stool ("Stool"), or both ("Urine/stool").
- Meals Indicate whether the individual is able to feed himself/herself ("Self"), with assistance ("Assist"), or if individual has a feeding tube ("Tube"). If a feeding tube is used, specify the date the tube was last inserted or changed in the space provided in MM/DD/YY format.
- Hygiene Indicate whether the individual is able to perform personal hygiene (e.g. brushing teeth, brushing hair, shaving) by himself/herself ("Self"), with assistance ("Assist"), or if individual is unable to perform personal hygiene ("Not able").
- Dressing Indicate whether the individual is able to dress himself/herself ("Self"), with assistance ("Assist"), or if individual is unable to dress himself/herself ("Not able").

Current devices/recent (last 90 days) procedures*: If the individual does not have any current devices or recent (last 90 days) procedures, indicate "None." Otherwise, indicate "Yes" and specify any and all current devices or recent procedures (last 90 days) that apply to the individual. If the individual has an indwelling urinary catheter and/or a central line/PICC, specify the insertion date in MM/DD/YY format in the space provided. If the individual had a recent procedure (within the last 90 days) indicate "Procedure" and specify the type of procedure (e.g. surgery) and the date of procedure in MM/DD/YY format in the space provided.

Current medications*: Include an up to date medication administration record (MAR) with transport documents. The record should include date and time of last administration as well as diagnoses. This record should also be accessible to transport services. Indicate that a medication administration record has been included with transport documentation by checking the "MAR included" checkbox. Prior to transfer, the receiving facility should verify that the medications the individual is currently on (including method of administration), or a suitable alternative, are available.

Vaccination/test history*: If the individual has not received any of the listed vaccines/tests, indicate "None." Otherwise, indicate "Yes" and specify the date all applicable vaccines/tests were administered in MM/DD/YY format. For each applicable vaccine/test, indicate if vaccination/testing is reported by the patient (self-report vaccine/test receipt is "Yes") or not (self-report vaccine receipt is "No"). For tuberculin skin test (TST), also indicate whether the skin test result was positive ("Pos") or negative ("Neg").

Personal items sent with the patient/resident: If the individual was not transferred with any personal items, indicate "None." Otherwise, indicate "Specify" and list any personal items that were sent with the patient at the time of transfer. Personal items may include, but are not limited to, glasses, hearing aid(s), cane/walker, and wheelchairs.

Notes: Please include any additional notes related to the individual and/or the individual's continuing care in the space provided.

Contact information: All information is required unless otherwise indicated.

Relative/Guardian/Power of Attorney (POA)

- Name* Specify the name of the individual's relative/guardian/POA in the space provided
- Relationship Specify the contact's relationship to the individual (e.g. spouse) in the space provided
- o Phone* Specify the contact's phone number in the space provided
- Notified? Indicate whether or not the contact has been notified of the individual's transfer.
- Transferring facility representative completing form
 - Name/title* Print the name and title of the representative of the transferring facility that is completing the form.
 - Signature The representative of the transferring facility completing the form should sign the form.
 - Phone* Specify the phone number of the transferring facility representative completing the form.

Copy checkboxes: All pages contain the same information. The page with "TRANSFERRING FACILITY COPY" marked (page 1) should remain in the medical record for the individual at the transferring facility. Page 2, "TRANSPORT/RECEIVING FACILITY COPY" should be given to transport services at the time of transfer by a transferring facility representative. This page should be given to the receiving facility at the time of transfer by a transport services representative and remain in the medical record for the individual at the receiving facility.

		acility Name acility Addre					INTERF	ACILITY 1	RANSI	FER FO	RM		
	_	acility Phon											
Transferred	to:*	y		Reas	son for	transfer	*						
ransfer date/time:*/			Atter	Attending physician:*				r:* Phone:*					
Patient/resid	dent demo	graphics an R:* T(d vital sign	s (date/time	taken		/_)	_			
Last Nam	ıe:*		_ First Nan	ne:*		D(DB:*		MRI	N:			
BP:*	P:*	_ R:* T(F):* O ₂	SAT:*	_ HT(in)): W	/T(lb):	Diabe	tic?	Gluc	ose:		
Languag	e Englis	h Other:		Mental st	atus*	Alert	Oriente	ed Othe	er:				
Allergies	^ None	Yes: one Falls	A : + :	. D	Pain L	.evel (0-1	0): &	Site:	4 04				
At risk al	erts" NC	s* DNR	ASPIRATION MA	n Pressur Ost Livi	e uicer	S Seiz	Contac	⊏iopemen +	ı Oır	ier:			
Auvance	u unective	5 DIVIN	DINI IVIV	OST LIVI	iig vviii	ГЮЛУ	, Contac	·L					
Current isol	ation preca	autions*/req	uired PPE (Check, if in	dicated	d)							
		fy (ne						
	. сс, срес.	•											
	PPE, spec	ifv	\mathcal{M}	जि ए	0	6	3						
	, ,	, l			. لد		¥ J						
Organisms <i>i</i>	infections	s* No	ne Yes, s	specify type/	date Cı	urrent inf	ection	Hx/Colo	nized	Pendi	ng result		
		organisms (M					ate		Date		Date		
Methic	illin-resista	nt Staphyloc	occus aureu	s (MRSA)									
Vanco	mycin-resis	tant Enteroc	occi (VRE)										
		susceptible											
		ae resistant t		<u> </u>	E)								
		m beta-lacta	mase produ	cer (ESBL)									
	dium difficil	e (C. diff)											
Other:			(0.4.0). !!		.			. —					
1 (6				oc, ocabico, i	41336111	ii iateu si ii	irigics, ir	Oloviius, ii	iu, iD, t	· (C.)			
Current or r		7 days) syn	nptoms	None	Yes, s	pecify			oiratory	secretion	ons		
Current or r Draini Vomit	ecent (last ng wounds ing	7 days) syn Concern Acute di	nptoms ning rash (e.ç arrhea or ind	None	Yes, s	pecify			oiratory	secretio	ons —		
Current or r Draini Vomit	ecent (last ng wounds ing tus and ac	7 days) syn Concern Acute di	nptoms ning rash (e.garrhea or inc	None g. vesicular) continent of	Yes, s	pecify Coug Other	h/uncon	trolled res					
Current or r Draini Vomit Sensory sta Vision	ecent (last ng wounds ing tus and ac	7 days) syn Concern Acute di tivities of da Speech	nptoms ing rash (e.garrhea or ind aily living* Ambulate	None g. vesicular) continent of s	Yes, s	pecify Coug Other	h/uncon	trolled res	H	ygiene	Dressing		
Current or representation Draini Vomit Sensory state Vision Good	ecent (last ng wounds ing tus and ac Hearing Good	7 days) syn Concern Acute di tivities of da Speech Good	nptoms ing rash (e.garrhea or ince aily living* Ambulate Self	None g. vesicular) continent of s Transfer Self	Yes, s	pecify Coug Other Dileting	h/uncon	trolled res Meals Self	H	ygiene Self	Dressing Self		
Current or representation Draining Vomite Sensory state Vision Good Poor	ecent (last ng wounds ing tus and ac Hearing Good Poor	7 days) syn Concern Acute di tivities of da Speech Good Difficult	nptoms hing rash (e.garrhea or ince aily living* Ambulate Self Assist	None g. vesicular) continent of s Transfer Self Assist	Yes, s stool To Sel As:	pecify Coug Other pileting f sist	h/uncon	trolled res Meals Self Assist	H	ygiene Self Assist	Dressing Self Assist		
Current or representation Draining Vomite Sensory state Vision Good Poor Blind	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf	7 days) syn Concern Acute di tivities of da Speech Good	nptoms ning rash (e.garrhea or incentions) aily living* Ambulate Self Assist Not	None g. vesicular) continent of s Transfer Self Assist Not	Yes, s stool To Sel As:	pecify Coug Other Dileting	h/uncon	Meals Self Assist Tube	H	ygiene Self	Dressing Self Assist Not		
Current or representation Draining Vomite Sensory state Vision Good Poor	ecent (last ng wounds ing tus and ac Hearing Good Poor	7 days) syn Concern Acute di tivities of da Speech Good Difficult	nptoms hing rash (e.garrhea or ince aily living* Ambulate Self Assist	None g. vesicular) continent of s Transfer Self Assist	Yes, s stool To Sel As:	pecify Coug Other pileting f sist	h/uncon	Meals Self Assist Tube	H	ygiene Self Assist Not	Dressing Self Assist		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy:	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult	nptoms aing rash (e.garrhea or ince aily living* Ambulate Self Assist Not able	None g. vesicular) continent of s Transfer Self Assist Not able	Yes, s stool To Sel As: Inc Sfy:	pecify Coug Other Dileting If sist ontinent	h/uncon	Meals Self Assist Tube	H	ygiene Self Assist Not	Dressing Self Assist Not		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 days)	nptoms aing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If Sist ontinent Performance Specify type	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia	nptoms aing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If Sist ontinent Performance Specify type	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or representation of the Draini Vomition Sensory states Vision Good Poor Blind Sfy: Current dev Trach Gastro	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 de De Hemode Difficuly	nptoms hing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce tte inserted)	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If sist ontinent Yes, specify typ Ce	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 days)	nptoms hing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If sist ontinent Yes, specify typ Ce	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastro Current med	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 days) be Hemode Urinary None	nptoms ling rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If sist ontinent Yes, specify typ Ce	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastre Current med	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None	nptoms ling rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proceute inserted) er to attache s, specify	Yes, s stool To Sel As: Inc Sfy: None edure, s	pecify Coug Other Dileting If Sist Ontinent Yes, Specify typ Ce	h/uncon	Meals Self Assist Tube ste:	an	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastro Current med Vaccination Vaccination	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy: ices / rece eostomy tube stomy tube dications* / test histocine/test	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 days) be Hemode Urinary None Dry*	nptoms ling rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache	Yes, s stool To Sel As: Inc Sfy: None edure, s	pecify Coug Other Dileting If Sist Ontinent Yes, Specify typ Ce	h/uncon	Meals Self Assist Tube tte:	an	ygiene Self Assist Not able d date ted)	Dressing Self Assist Not able		
Current or representation Current or representation Current or representation Current or representation Current medicular or representation Vaccination Vaccination Date accination	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce ite inserted) er to attache s, specify II) Pneumon	Yes, s stool To Sel As: Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If sist ontinent EYES, specify typ Ce Zoster	h/uncon	Meals Self Assist Tube tte: PICC (da	an ate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation Current or representation Current deventation Current medical current medical current or cur	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy: ices / receleostomy tubestomy tub	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If sist ontinent Expecify typ Ce Zoster Yes	h/unconding: Da specify be entral line Td Yes	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation Current or representation Current deventation Current medical contents Vaccination Vaccination Vaccination Vaccination Self-representation	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce ite inserted) er to attache s, specify II) Pneumon	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If sist ontinent EYES, specify typ Ce Zoster	h/uncon	Meals Self Assist Tube tte: PICC (da	an ate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastro Current med Vaccination Vac Date accination test	tus and ac Hearing Good Poor Deaf Sfy: costomy tube elications* / test histo cine/test dministere ort vaccin receipt?	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms ing rash (e.garrhea or incesting rash) Ambulate Self Assist Not able ays) procectiallysis catheter (dates a cath	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If Sist Ontinent E Yes, Specify typ Ce Zoster Yes No	h/unconding: Da specify be entral line Td Yes	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation of the property of t	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 date Hemode Urinary None ory* Influenz d ith patient/re	nptoms ing rash (e.garrhea or incesting rash) Ambulate Self Assist Not able ays) procectiallysis catheter (dates a cath	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If Sist Ontinent E Yes, Specify typ Ce Zoster Yes No	h/unconfine Date of the Line o	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation of the property of t	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 de De Hemory None Dry* Influenz d ith patient/re y (e.g. glasse	nptoms ing rash (e.garrhea or incesting rash) Ambulate Self Assist Not able ays) procectiallysis catheter (dates a cath	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If Sist Ontinent E Yes, Specify typ Ce Zoster Yes No	h/unconfine Date of the Line o	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation Current or representation Current deverties Current medical vaccination Vaccination Vaccination Vaccination Vaccination Current medical vaccination Current	tus and ac Hearing Good Poor Deaf Sfy: ces / rece eostomy tubestomy tubestomy tubestomy tubestomistere ort vaccin receipt? ms sent w Specification Guardian/F	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 date to the defence of	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify N	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR coccal es lo	pecify Coug Other Dileting If sist ontinent E Yes, specify typ Ce Zoster Yes No	h/uncondenses	Meals Self Assist Tube Ite: PICC (date) Yes No	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Trach Gastro Current med Vaccination Vac Date ac Self-rep test Personal ite None Contact info Relative/ Name:	tus and ac Hearing Good Poor Deaf Sfy: ices / rece eostomy tube dications* / test histo cine/test dministere ort vaccin receipt? ms sent w Specification Guardian/F*	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 date to the defence of	nptoms ling rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify N N	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR coccal es lo	pecify Coug Other Dileting If sist ontinent E Yes, specify typ Ce Zoster Yes No	h/uncondenses	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		

		acility Name acility Addre					INTERF	ACILITY 1	RANSI	FER FO	RM		
	_	acility Phon											
Transferred	to:*	y		Reas	son for	transfer	*						
ransfer date/time:*/			Atter	Attending physician:*				r:* Phone:*					
Patient/resid	dent demo	graphics an R:* T(d vital sign	s (date/time	taken		/_)	_			
Last Nam	ıe:*		_ First Nan	ne:*		D(DB:*		MRI	N:			
BP:*	P:*	_ R:* T(F):* O ₂	SAT:*	_ HT(in)): W	/T(lb):	Diabe	tic?	Gluc	ose:		
Languag	e Englis	h Other:		Mental st	atus*	Alert	Oriente	ed Othe	er:				
Allergies	^ None	Yes: one Falls	A : + :	. D	Pain L	.evel (0-1	0): &	Site:	4 04				
At risk al	erts" NC	s* DNR	ASPIRATION MA	n Pressur Ost Livi	e uicer	S Seiz	Contac	⊏iopemen +	ı Oır	ier:			
Auvance	u unective	5 DIVIN	DINI IVIV	OST LIVI	iig vviii	ГЮЛУ	, Contac	·L					
Current isol	ation preca	autions*/req	uired PPE (Check, if in	dicated	d)							
		fy (ne						
	. сс, срес.	•											
	PPE, spec	ifv	\mathcal{M}	जि ए	0	6	3						
	, ,	, l			. لد		¥ J						
Organisms <i>i</i>	infections	s* No	ne Yes, s	specify type/	date Cı	urrent inf	ection	Hx/Colo	nized	Pendi	ng result		
		organisms (M					ate		Date		Date		
Methic	illin-resista	nt Staphyloc	occus aureu	s (MRSA)									
Vanco	mycin-resis	tant Enteroc	occi (VRE)										
		susceptible											
		ae resistant t		<u> </u>	E)								
		m beta-lacta	mase produ	cer (ESBL)									
	dium difficil	e (C. diff)											
Other:			(0.4.0). !!		.			. —					
1 (6				oc, ocabico, i	41336111	ii iateu si ii	irigics, ir	Oloviius, ii	iu, iD, t	· (C.)			
Current or r		7 days) syn	nptoms	None	Yes, s	pecify			oiratory	secretion	ons		
Current or r Draini Vomit	ecent (last ng wounds ing	7 days) syn Concern Acute di	nptoms ning rash (e.ç arrhea or ind	None	Yes, s	pecify			oiratory	secretio	ons —		
Current or r Draini Vomit	ecent (last ng wounds ing tus and ac	7 days) syn Concern Acute di	nptoms ning rash (e.garrhea or inc	None g. vesicular) continent of	Yes, s	pecify Coug Other	h/uncon	trolled res					
Current or r Draini Vomit Sensory sta Vision	ecent (last ng wounds ing tus and ac	7 days) syn Concern Acute di tivities of da Speech	nptoms ing rash (e.garrhea or ind aily living* Ambulate	None g. vesicular) continent of s	Yes, s	pecify Coug Other	h/uncon	trolled res	H	ygiene	Dressing		
Current or representation Draini Vomit Sensory state Vision Good	ecent (last ng wounds ing tus and ac Hearing Good	7 days) syn Concern Acute di tivities of da Speech Good	nptoms ing rash (e.garrhea or ince aily living* Ambulate Self	None g. vesicular) continent of s Transfer Self	Yes, s	pecify Coug Other Dileting	h/uncon	trolled res Meals Self	H	ygiene Self	Dressing Self		
Current or representation Draining Vomite Sensory state Vision Good Poor	ecent (last ng wounds ing tus and ac Hearing Good Poor	7 days) syn Concern Acute di tivities of da Speech Good Difficult	nptoms hing rash (e.garrhea or ince aily living* Ambulate Self Assist	None g. vesicular) continent of s Transfer Self Assist	Yes, s stool To Sel As:	pecify Coug Other pileting f sist	h/uncon	trolled res Meals Self Assist	H	ygiene Self Assist	Dressing Self Assist		
Current or representation Draining Vomite Sensory state Vision Good Poor Blind	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf	7 days) syn Concern Acute di tivities of da Speech Good	nptoms ning rash (e.garrhea or incentions) aily living* Ambulate Self Assist Not	None g. vesicular) continent of s Transfer Self Assist Not	Yes, s stool To Sel As:	pecify Coug Other Dileting	h/uncon	Meals Self Assist Tube	H	ygiene Self	Dressing Self Assist Not		
Current or representation Draining Vomite Sensory state Vision Good Poor	ecent (last ng wounds ing tus and ac Hearing Good Poor	7 days) syn Concern Acute di tivities of da Speech Good Difficult	nptoms hing rash (e.garrhea or ince aily living* Ambulate Self Assist	None g. vesicular) continent of s Transfer Self Assist	Yes, s stool To Sel As:	pecify Coug Other pileting f sist	h/uncon	Meals Self Assist Tube	H	ygiene Self Assist Not	Dressing Self Assist		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy:	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult	nptoms aing rash (e.garrhea or ince aily living* Ambulate Self Assist Not able	None g. vesicular) continent of s Transfer Self Assist Not able	Yes, s stool To Sel As: Inc Sfy:	pecify Coug Other Dileting If sist ontinent	h/uncon	Meals Self Assist Tube	H	ygiene Self Assist Not	Dressing Self Assist Not		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 days)	nptoms aing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If Sist ontinent Performance Specify type	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia	nptoms aing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If Sist ontinent Performance Specify type	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or representation of the Draini Vomition Sensory states Vision Good Poor Blind Sfy: Current dev Trach Gastro	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 de De Hemode Difficuly	nptoms hing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce tte inserted)	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If sist ontinent Yes, specify typ Ce	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev	ecent (last ng wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 days)	nptoms hing rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If sist ontinent Yes, specify typ Ce	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastro Current med	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 days) be Hemode Urinary None	nptoms ling rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache	Yes, s stool To Sel As: Inc Sfy: None	pecify Coug Other Dileting If sist ontinent Yes, specify typ Ce	h/uncon	Meals Self Assist Tube tte:	H an	ygiene Self Assist Not able	Dressing Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastre Current med	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None	nptoms ling rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proceute inserted) er to attache s, specify	Yes, s stool To Sel As: Inc Sfy: None edure, s	pecify Coug Other Dileting If Sist Ontinent Yes, Specify typ Ce	h/uncon	Meals Self Assist Tube ste:	an	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastro Current med Vaccination Vaccination	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy: ices / rece eostomy tube stomy tube dications* / test histocine/test	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 days) be Hemode Urinary None Dry*	nptoms ling rash (e.garrhea or incomplete in	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache	Yes, s stool To Sel As: Inc Sfy: None edure, s	pecify Coug Other Dileting If Sist Ontinent Yes, Specify typ Ce	h/uncon	Meals Self Assist Tube tte:	an	ygiene Self Assist Not able d date ted)	Dressing Self Assist Not able		
Current or representation Current or representation Current or representation Current or representation Current medicular or representation Vaccination Vaccination Date accination	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce ite inserted) er to attache s, specify II) Pneumon	Yes, s stool To Sel As: Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If sist ontinent EYES, specify typ Ce Zoster	h/uncon	Meals Self Assist Tube tte: PICC (da	an ate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation Current or representation Current deventation Current medical contents Vaccination Vaccination Vaccination Vaccination Self-representation	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy: ices / receleostomy tubestomy tub	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If sist ontinent Expecify typ Ce Zoster Yes	h/unconding: Da specify be entral line Td Yes	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation Current or representation Current deventation Current medical contents Vaccination Vaccination Vaccination Vaccination Self-representation	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce ite inserted) er to attache s, specify II) Pneumon	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If sist ontinent EYES, specify typ Ce Zoster	h/uncon	Meals Self Assist Tube tte: PICC (da	an ate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Gastro Current med Vaccination Vac Date accination test	tus and ac Hearing Good Poor Deaf Sfy: costomy tube elications* / test histo cine/test dministere ort vaccin receipt?	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 day be Hemode Urinary None ory* Influenz d	nptoms ing rash (e.garrhea or incesting rash) Ambulate Self Assist Not able ays) procectiallysis catheter (dates a cath	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If Sist Ontinent E Yes, Specify typ Ce Zoster Yes No	h/unconding: Da specify be entral line Td Yes	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation of the property of t	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di stivities of da Speech Good Difficult Aphasia nt (last 90 date Hemode Urinary None ory* Influenz d ith patient/re	nptoms ing rash (e.garrhea or incesting rash) Ambulate Self Assist Not able ays) procectiallysis catheter (dates a cath	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If Sist Ontinent E Yes, Specify typ Ce Zoster Yes No	h/unconfine Date of the Line o	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation of the property of t	ecent (last ng wounds ing wounds ing tus and ac Hearing Good Poor Deaf Sfy:	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 de De Hemory None Dry* Influenz d ith patient/re y (e.g. glasse	nptoms ing rash (e.garrhea or incesting rash) Ambulate Self Assist Not able ays) procectiallysis catheter (dates a cath	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify II) Pneumod Y	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR	pecify Coug Other Dileting If Sist Ontinent E Yes, Specify typ Ce Zoster Yes No	h/unconfine Date of the Line o	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or representation Current or representation Current deverties Current medical vaccination Vaccination Vaccination Vaccination Vaccination Current medical vaccination Current	tus and ac Hearing Good Poor Deaf Sfy: ces / rece eostomy tubestomy tubestomy tubestomy tubestomistere ort vaccin receipt? ms sent w Specification Guardian/F	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 date to the defence of	nptoms hing rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify N	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR coccal es lo	pecify Coug Other Dileting If sist ontinent E Yes, specify typ Ce Zoster Yes No	h/uncondenses	Meals Self Assist Tube Ite: PICC (date) Yes No	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		
Current or r Draini Vomit Sensory sta Vision Good Poor Blind Sfy: Current dev Trach Gastro Current med Vaccination Vac Date ac Self-rep test Personal ite None Contact info Relative/ Name:	tus and ac Hearing Good Poor Deaf Sfy: ices / rece eostomy tube dications* / test histo cine/test dministere ort vaccin receipt? ms sent w Specification Guardian/F*	7 days) syn Concern Acute di tivities of da Speech Good Difficult Aphasia nt (last 90 date to the defence of	nptoms ling rash (e.garrhea or incomplete and incom	None g. vesicular) continent of s Transfer Self Assist Not able dures* eter Proce te inserted) er to attache s, specify N N	Yes, s stool To Sel Asi Inc Sfy: None edure, s d MAR coccal es lo	pecify Coug Other Dileting If sist ontinent E Yes, specify typ Ce Zoster Yes No	h/uncondenses	Meals Self Assist Tube Ite: PICC (da	anate inser	ygiene Self Assist Not able d date ted)	Self Assist Not able		