Life After Sepsis Fact Sheet

What sepsis survivors need to know.



What is sepsis?

Sepsis is a complication caused by the body's overwhelming and life-threatening response to an infection, which can lead to tissue damage, organ failure, and death.

What causes sepsis?

Infections can lead to sepsis. An infection occurs when germs enter a person's body and multiply, causing illness and organ and tissue damage. Certain infections and germs could lead to sepsis. Sepsis is often associated with infections of the lungs (e.g., pneumonia), urinary tract (e.g., kidney), skin, and gut. Staphylococcus aureus (staph), Escherichia coli (E. coli), and some types of Streptococcus (strep) are common germs that can cause sepsis.

Life After Sepsis

What are the first steps in recovery?

After you have had sepsis, rehabilitation usually starts in the hospital by slowly helping you to move around and look after yourself: bathing, sitting up, standing, walking, taking yourself to the restroom, etc. The purpose of rehabilitation is to restore you back to your previous level of health or as close to it as possible. Begin your rehabilitation by building up your activities slowly, and rest when you are tired.

How will I feel when I get home?

You have been seriously ill, and your body and mind need time to get better. You may experience the following physical symptoms upon returning home:

- General to extreme weakness and fatigue
- Breathlessness
- · General body pains or aches
- Difficulty moving around
- Difficulty sleeping
- Weight loss, lack of appetite, or food not tasting normal
- Dry and itchy skin that may peel
- Brittle nails
- Hair loss





qio.qsource.org

It is also not unusual to have the following feelings once you're at home:

- Unsure of yourself
- Not caring about your appearance
- Wanting to be alone, avoiding friends and family
- Flashbacks, bad memories
- Confusing reality (e.g., not sure what is real and what isn't)
- Feeling anxious, more worried than usual
- Poor concentration
- Depressed, angry, unmotivated
- Frustration at not being able to do everyday tasks

What's normal and when should I be concerned?

Generally, the problems described in this fact sheet do improve with time. They are a normal response to what you have been through.

Some hospitals have follow-up clinics or staff to help patients and families once they have been discharged. Find out if yours does or if there are local resources available to help you while you get better.

However, if you feel that you are not getting better, or finding it difficult to cope, or continue to be exhausted, call your doctor.

What can I do to help myself recover at home?

- Set small, achievable goals for yourself each week, such as taking a bath, dressing yourself, or walking up the stairs
- Rest and rebuild your strength
- Talk about what you are feeling to family and friends
- Record your thoughts, struggles, and milestones in a journal
- Learn about sepsis to understand what happened
- Ask your family to fill in any gaps you may have in your memory about what happened to you
- Eat a balanced diet
- · Exercise if you feel up to it
- Make a list of questions to ask your doctor when you go for a check up

Are there any long-term effects of sepsis?

Many people who survive sepsis recover completely and their lives return to normal. However, as with some other illnesses requiring intensive medical care, some patients have long-term effects. These problems may not become apparent for several weeks (post-sepsis), and may include such consequences as:

- Insomnia, difficulty getting to or staying asleep
- · Nightmares, vivid hallucinations, panic attacks
- Disabling muscle and joint pains
- · Decreased mental (cognitive) functioning
- Loss of self-esteem and self-belief
- Organ dysfunction (kidney failure, respiratory problems, etc.)
- Amputations (loss of limb(s))





